

**AMENDMENTS TO THE CLAIMS**

Please amend the claims as follows.

1. (Currently Amended) A method of transmission of application data in a plurality of services in a digital transport stream, each of said plurality of services carrying at least one application, the method comprising:
  - providing an application data table containing information regarding said at least one application carried by each of a plurality of the services within the transport stream, wherein the application data table comprises a service description comprising an identifier of the at least one application carried by each of the plurality of services, and an application description comprising a plurality of characteristics of the at least one application; and
  - determining an action associated with the at least one application using the plurality of characteristics of the at least one application, wherein the action is determined when changing between the plurality of services, and
  - wherein the action is one selected from the group consisting of downloading the at least one application, maintaining the at least one application, and deleting the at least one application.
2. (Previously Presented) The method as claimed in claim 1, wherein the application data table is transported in a transport packet having predetermined packet ID value associated with the presence of an application data table within the packet.
3. (Previously Presented) The method as claimed in claim 1, wherein said application data table is electronically signed so as to permit a decoder to verify an application data table as originating from a known operator.
4. (Previously Presented) The method as claimed in claim 1, wherein each service further comprises a program map table giving access to applications carried by this service, the program map table itself comprising information regarding said at least one application carried by this service.
5. – 9. (Canceled)

10. (Previously Presented) The method as claimed in claim 1, comprising:

providing a plurality of said application data tables, each application data table containing information regarding applications contained within a bouquet of services.

11. (Previously Presented) The method as claimed in claim 10, wherein each application data table is transported in one of a table and a section within a transport packet, each application data table being associated with one of a table and a section having one of a characteristic table ID and a characteristic table ID extension value.

12. (Previously Presented) The method as claimed in claim 1, further comprising:

receiving the application data table in a digital television system.

13. (Previously Presented) The method as claimed in claim 1, wherein the digital transport stream conforms to the MPEG standard.

14. (Currently Amended) A transmission apparatus comprising:

means for transmitting a transport stream comprising a plurality of services together with an application data table containing information regarding applications carried by a plurality of the services within the transport stream, wherein the application data table comprises a service description comprising an identifier of the applications carried by each of the plurality of services, and an application description comprising a plurality of characteristics of each of the applications;  
and

means for determining an action associated with the at least one application using the plurality of characteristics of the at least one application, wherein the action is determined when changing between the plurality of services, and

wherein the action is one selected from the group consisting of downloading the at least one application, maintaining the at least one application, and deleting the at least one application.

15. (Previously Presented) The transmission apparatus as claimed in claim 14, wherein the transmitting means is adapted to transmit the application data table in a transport packet having a

predetermined packet ID value associated with the presence of an application data table within the packet.

16. (Previously Presented) The transmission apparatus as claimed in claim 14, comprising means for electronically signing said application data table so as to permit a decoder to verify an application data table as originating from a known operator.

17. (Previously Presented) The transmission apparatus as claimed in claim 14, wherein the transmitting means is adapted to transmit for each service a program map table giving access to applications carried by that service, the program map table itself comprising information regarding said at least one application carried by this service.

18. – 22. (Canceled)

23. (Previously Presented) The transmission apparatus as claimed in claim 14, wherein the transmitting means is adapted to transmit a plurality of said application data tables, each application data table containing information regarding applications contained within a bouquet of services.

24. (Previously Presented) The transmission apparatus as claimed in claim 23, wherein the transmitting means is adapted to transmit each application data table and a section within a transport packet, each application data table being associated with one of a table and a section having one of a characteristic table ID and a characteristic table ID extension value.

25. (Previously Presented) A transmission apparatus as claimed in claim 14, wherein the digital transport stream conforms to the MPEG standard.

26. (Currently Amended) A digital television system comprising:

a transmission apparatus, said apparatus comprising:

means for transmitting a transport stream comprising a plurality of services together with an application data table containing information regarding applications carried by a plurality of the services within the transport stream, wherein the application data table comprises a service description comprising an identifier of the applications carried by each of the plurality

of services, and an application description comprising a plurality of characteristics of each of the applications; and  
means for determining an action associated with the at least one application using the plurality of characteristics of the at least one application, wherein the action is determined when changing between the plurality of services, and wherein the action is one selected from the group consisting of downloading the at least one application, maintaining the at least one application, and deleting the at least one application.

27. (Canceled)

28. (Currently Amended) A decoder comprising:

a memory for storing an application data table comprising information regarding applications carried by a plurality of services within the transport stream, wherein the application data table comprises a service description comprising an identifier of the applications carried by each of the plurality of services, and an application description comprising a plurality of characteristics of each of the applications, and

means for controlling, when changing between the plurality of services, at least one of the downloading, deleting, and maintenance of such applications in dependence on the information contained within the application data table.

29. (Canceled)

30. (Previously Presented) The decoder as claimed in claim 28, wherein said application data table is electronically signed so as to permit the decoder to verify an application data table as originating from a known operator

31. – 47. (Canceled)